Iowa Department of Public Health Certificate of Immunization

**Doctor Completes

Name Last:			First:	First:			Date of Birth:	
Parent/Guardian:			Address:	Address:			Phone: ()	
	nysician, Physician Assistant	t, Nurse, or Certified N	cord of age-appropriate immunizations	Date:			enrollment.	
A representative of the local Board of Health or Iowa Department of Public Health may review this certificate for survey purposes.								
Diphtheria, Tetanus, Pertussis	Vaccine	Date Given	Doctor / Clinic / Source	Meningococcal MCV4/MPSV4	Vaccine	Date Given	Doctor / Clinic / Source	
Td/Tdap				Hepatitis A				
Polio IPV/OPV				Rotavirus				
				Human Papilloma Virus HPV				
Measles, Mumps, Rubella								
MMR				Other				
Haemophilus influenzae				\exists				
type b Hib								
Hamatitia D				1 dose Polio	1 dose Diphtheria/Tetanus/Pertussis 2 doses Polio 3 doses Biphtheria/Tetanus/Pertussis 3 doses Polio 3 doses Bib with the final dose in the series ≥ 12 months of age, or 1 dose received ≥ 15 months of age. 1 dose Measles/Rubella ≥ 12 months of age if born on or after September 15, 1997, or a reliable history of natural disease. 2 doses Polio 2 doses Hib 2 doses Pneumococcal 2 through 18 months 3 doses Diphtheria/Tetanus/Pertussis 2 doses Pneumococcal 2 through 18 months 3 doses Diphtheria/Tetanus/Pertussis 2 doses Polio 2 doses Hib 2 doses Polio 2 doses Hib or 1 dose received at ≥ 15 months of age. 3 doses Polio 2 doses Hib or 1 dose received at ≥ 15 months of age. 3 doses Pheumococcal if received 1 or 2 doses < 12 months of age; or 2 doses if received 2 doses < 12 months of age; or 2 doses if received 2 doses < 12 months of age; or 2 doses if received 2 doses < 12 months of age; or 2 doses if received 1 dose < 12 months of age or received 1 dose > 12 months of age or received 1 dose > 12 months of age or received 1 dose > 12 months of age. 1 dose + 12 months of age or received 1 dose > 12 months of age or received 1 dose > 12 months of age or received 1 dose > 12 months of age 1 dose + 12 months			
Hepatitis B				1 dose Pneumococcal 6 through 11 months 2 doses Diphtheria/Tetanus 2 doses Polio 2 doses Hib				
Varicella Chicken Pox If applicant has a history of natural disease write "Immune to				3 doses Diphtheria/Tetanus 2 doses Polio 2 doses Hib or 1 dose receiv 3 doses Pneumococcal if re of age; or 2 doses if				
Varicella" Pneumococcal PCV/PPV				dose received ≥ 4 y ≥ 4 years of age if b 4 doses Polio with 1 dose re on or before Septie 2 doses Measles/Rubella; it 3 doses Hepatitis B if born o 2 doses Varicella ≥ 12 monti	5 doses Diphtheria/Tetanus/Pertussis with at least 1 dose received ≥ 4 years of age if born on or after September 15, 2003; or 4 doses, with 1 dose received ≥ 4 years of age if born on or before September 15, 2000. but before September 15, 2003; or 3 doses, with 1 dose received ≥ 4 years of age if born on or before September 15, 2000. 4 doses Polio with 1 dose received ≥ 4 years of age if born on or after September 15, 2003; or 3 doses, with 1 dose received ≥ 4 years of age if born on or before September 15, 2003. 2 doses Measles/Rubella; the first dose shall have been received ≥ 12 months of age; the second dose shall have been received ≥ 28 days after the first. 3 doses Hepatitis B if born on after July 1, 1994. 2 doses Varicella ≥ 12 months of age if born on or after September 15, 2003; or 1 dose received ≥ 12 months of age if born on or after September 15, 1997, but before September 15, 2003, unless the applicant has a reliable history of natural disease.			